EQUILIBRIUM INDUSTRIES

STATISTICAL SIGNIFICANCE
ANALYSIS TOOL & REPORT GENERATOR

Product Installation Guide & Reference Manual [v1.0a]

© 2026 Equilibrium Industries

1. What Is This Tool?

The Equilibrium Industries Statistical Significance Analysis Tool & Report Generator is a ready-to-use Microsoft Excel template designed to evaluate whether a structured program or intervention produced a statistically meaningful change in a measured population variable. It is built around the matched pairs (pre/post) study design, in which each participant serves as their own control by contributing one measurement before the program and one after.

The tool supports three intervention objectives:

Objective	What the Tool Evaluates
Increase	Did the program produce a statistically significant upward shift in the measured variable?
Decrease	Did the program produce a statistically significant downward shift in the measured variable?
Maintain	Did the program successfully hold the measured variable stable — avoiding any statistically significant change in either direction?

The result is a professionally formatted statistical report that presents the hypothesis test, key statistics, outcome verdict, and a population distribution chart — all automatically generated from the data you enter. No statistical expertise is required to operate the tool; the mathematics run entirely behind the scenes.

2. Who Should Use This Tool?

Any individual, team, or organization that measures a variable before and after a structured program or intervention can use this tool. No statistical software or background is required. Common applications include:

Healthcare & Clinical Settings

- Hospitals and clinics evaluating patient outcomes before and after a treatment protocol.
- Public health programs tracking changes in biometric measures (blood pressure, BMI, cholesterol) across a patient cohort.
- Rehabilitation programs measuring functional improvement across a participant group.

Education & Training

- Schools and universities measuring learning outcomes before and after a curriculum change.
- Corporate training departments assessing whether a skills program improved assessment scores.
- Coaching and tutoring programs demonstrating measurable progress to clients and funders.

Business & Operations

- Process improvement teams (Lean, Six Sigma) quantifying the impact of a process change on a key metric.
- Sales and marketing teams evaluating whether a campaign or initiative moved a performance KPI.
- HR departments measuring employee engagement or performance before and after an intervention.

Research & Academic Studies

- Social scientists and behavioral researchers conducting pre/post experimental or quasi-experimental studies.
- Program evaluators producing evidence of impact for grant reporting and stakeholder communication.
- Graduate researchers needing a clean, reproducible statistical output for thesis or publication support.

Nonprofits & Government

- Community programs demonstrating measurable outcomes to funders, boards, or oversight bodies.
- Government agencies evaluating the effectiveness of policy interventions on a target population.
- Grant recipients producing required statistical evidence of program effectiveness.

3. First-Time Setup & Template Installation

For any general assistance or questions related to this template, please email: stat.tool@equilibrium-industries.com

Your product download contains two files: the Excel Template file (EQ-StatisticsToolTemplate.xltx) and this Product Installation Guide & Reference Manual (StatTool_ProductGuide_v1.pdf). Follow the steps below to save your files, customize your copy, and install the template into Excel so that it is always available as a starting point for new analyses.

Step A — Save Your Downloaded Files

Your download contains two files: EQ-StatisticsToolTemplate.xltx (the tool) and StatTool_ProductGuide_v1.pdf (this guide). Save both files to a folder of your choice on your local machine before proceeding.

WINDOWS	*Save EQ-StatisticsToolTemplate.xltx and StatTool_ProductGuide_v1.pdf to a folder of your choice. Keep both files together for easy reference.*
MAC	*Save EQ-StatisticsToolTemplate.xltx and StatTool_ProductGuide_v1.pdf to a folder of your choice in Finder. Keep both files together for easy reference.*
NOTE	*Keep both files together in the same folder. The PDF is your reference guide and does not need to be installed. Only the .xltx file is installed into Excel in the steps below.*

Step B — Customize the Report Logo (Optional)

The Report tab includes a default grey graph logo placeholder at the top of the page. You may replace this with your own company or organization logo. **Work carefully and follow these instructions exactly.** If you do not wish to customize the logo, skip ahead to Step C.

1. **Open the template file** — open EQ-StatisticsToolTemplate.xltx directly from its saved location (do not create a new workbook from it yet). Navigate to the **Report** tab.
2. **Unprotect the Report sheet** — on the Excel menu bar, go to **Review** → **Unprotect Sheet**. The sheet must be unprotected before any changes can be made.
3. **Zoom in for precision** — zoom the sheet to approximately **170%** to make the logo area easier to work with accurately.
4. **Understand the logo area** — the logo area consists of two separate layers. The **white box** is a background layer that provides a clean white space for your logo to sit on — this is intentional and should **not** be deleted. The **grey graph graphic** sitting on top of the white box is the default placeholder logo — this is what you will replace.
5. **Delete the default logo graphic** — carefully click once on the grey graph graphic to select **only that graphic** (not the white box behind it), then press **Delete (DEL)**. If you accidentally delete the white box instead, immediately press **Ctrl+Z** to undo and try again.
6. **Insert your logo** — on the Excel menu bar, go to **Insert** → **Pictures** → **This Device** and select your logo image file. When prompted (or via the picture format options), choose **Place Over Cells**. Drag and resize the inserted logo so that it sits neatly over the white box area. The white box provides the background — position your logo on top of it.
7. **Re-protect the sheet** — go to **Review** → **Protect Sheet**. In the dialog that appears, do **not** change any of the checked options — **Select Unlocked Cells** should be the only item selected. Click OK to re-apply sheet protection.
8. **Zoom back out and save** — return the zoom level to **100%**, then save the file. Be sure to save it as a **Template file (.xltx)** — not as a standard workbook. Your logo is now embedded in the template and will appear on every new analysis you create from it. Proceed to **Step C**.

NOTE *The Report tab's subtitle (default: "STATISTICAL ANALYSIS REPORT") is the only unlocked cell on the sheet during normal use and can be edited at any time without unprotecting the sheet. There is no need to change it in the template unless you want a specific title to appear on every analysis you run.*

Step C — Install the Template into Excel

9. Copy or move EQ-StatisticsToolTemplate.xltx to your Excel templates folder:
   - Windows: C:\Users\[YourUserName]\Documents\Custom Office Templates
   - Mac: /Users/[YourUserName]/Library/Application Support/Microsoft/Office/User Templates/My Templates
10. Once the file is in that folder, it will appear automatically in the Personal templates section when you open Excel and go to File → New.
11. Windows security tip: if Excel prompts to Enable Content when opening, right-click the .xltx file in Windows Explorer, select Properties, check Unblock at the bottom, and click OK. This only needs to be done once.

Step D — Create a New Analysis From the Template

12. In Excel, click File → New.
13. Click Personal (or Custom) to view your saved templates.
14. Double-click the Equilibrium Statistical Analysis Tool template. Excel will open a fresh, unnamed copy — your original template remains untouched.
15. Complete your analysis using the Data Entry tab as described in Section 4.
16. Save the completed file as a standard Excel Workbook (.xlsx) with a descriptive name (e.g., Q3 2026 Training Program Analysis.xlsx). This preserves the template for future use.

IMPORTANT *Never save your completed analysis back over the .xltx template file. Always save finished analyses as .xlsx workbooks. This ensures the clean template is always available for the next study.*

Compatibility Notes

- Requires Microsoft Excel 2016 or later (Windows or Mac).
- The tool is not compatible with Google Sheets or LibreOffice Calc — certain statistical functions and sheet protection features are Excel-specific.
- Macros are not required. The tool uses only standard Excel formulas.
- The file is optimized for screen display and standard letter-size (8.5” × 11”) printing.

4. How to Use the Tool

Follow these steps in order. All required inputs are on the green Data Entry tab. Do not modify any other tab — all remaining sheets are protected and calculated automatically.

Step 1	**Enter the Program Title or Description** In cell B7 on the Data Entry tab, type a name or description for your program or intervention. This label will appear on the final report.
Step 2	**Select the Intervention Objective** In cell B9, use the dropdown menu to select the intended direction of your program: Increase, Decrease, or Maintain. This selection determines the hypothesis tested and the critical value applied.
Step 3	**Enter the Measured Variable** In cell C9, type the name of the variable being measured (e.g., “Blood Pressure,” “Test Score,” “Defect Rate”). This label will appear throughout the report.
Step 4	**Enter the Population Count** In cell B11, enter the number of observations in your dataset. This must be a whole number and must exactly match the number of data rows you enter below.
Step 5	**Select a Confidence Level** In cell D11, use the dropdown to choose your confidence level (e.g., 0.95, 0.99). If in doubt, 0.95 is the standard minimum for most applied research; 0.99 is appropriate for high-stakes decisions.
Step 6	**Enter Your Data** Starting in row 17, enter or paste your observation data in three columns: Column A — Observation Name or ID (alphanumeric) Column B — Pre-program measured value (numeric) Column C — Post-program measured value (numeric) Column D — Change (auto-calculated; do not edit) The tool accepts between 25 and 250,000 rows. If pasting data from another source, it is strongly recommended to use the **Values (V)** option from the paste dropdown menu (if available). This prevents imported formatting from interfering with the template’s protected cells and formula structure and only loads the data values into the tool. Numeric input values are processed with up to 4 decimal places of precision; however, all computed output values displayed on the Report tab are rendered to 2 decimal places in accordance with standard reporting conventions. For custom decimal precision configurations or other specialized output requirements, contact stat.tool@equilibrium-industries.com for free assistance.
Step 7	**Verify the Row Count** Confirm that the number in B11 matches the number of data rows entered. If a discrepancy exists, a warning will appear on the Data Entry tab. The report will not be valid until this is resolved.
Step 8	**Review the Report Tab** Once all data is entered and validated, navigate to the Report tab. The full statistical analysis is automatically generated. No further action is required.

5. How to Read the Report



Manufacturing Process Stability Study

STATISTICAL ANALYSIS REPORT 05/23/2026

This report has been prepared to analyze and apply statistical significance to the success or failure of the program in question. This analysis uses a matched pair sample in which values were recorded in both pre and post periods of the program. The mean change of these pre to post differences is the basis for the evaluation below. (Note: Statistical significance does not equal scientific/clinical significance)

Program Hypotheses:

Ha - Research Hypothesis (Alternative Hypothesis): The Program was successful. Machine Error Rate maintained value.

H0 - Null Hypothesis: The Program was not successful. Machine Error Rate increased or decreased.

STATISTICAL TEST INFORMATION AND RESULTS

Critical t Range Program Statistic Must Be Within to Show No Change	Program t Statistic Result
Between -2.0452 and 2.0452	-0.7974

OVERALL PROGRAM OUTCOME

PROGRAM SUCCESSFULLY MAINTAINED VALUE

ACCEPT RESEARCH HYPOTHESIS ; REJECT NULL HYPOTHESIS

The Average Change Produced By the Program, per participant, was:	-0.13
Maximum Allowable Change to Maintain No Significant Impact: +/-	0.33
Avoided a Failure By:	0.20

MATCHED PAIRS (Dependent Samples) t-TEST DATA

Sample Size (pairs)	n	30
Mean Difference	d̄	-0.13
Standard Deviation	sd	0.89
Standard Error (sd/√n)	se	0.16
Degrees of Freedom	df	29
Confidence Level	c	95%
Alpha	α	5%

Population Distribution | Change in Value of Machine Error Rate

Evaluation of Machine Error Rate Statistics | Pre and Post Intervention Periods

Sample Report — generated automatically from the Data Entry tab.

The Report tab is organized into five sections. Each is described below.

Section A — Program Hypotheses

The report opens with the two competing hypotheses derived automatically from your inputs:

- Ha (Research Hypothesis): The specific outcome the program is designed to achieve (e.g., “The program successfully increased Test Score by a statistically significant level”).
- H0 (Null Hypothesis): The default assumption of no effect — what is accepted as true unless the data provide sufficient evidence to the contrary.

The goal of the statistical test is to determine whether the data provide enough evidence to reject H0 in favor of Ha.

Section B — Statistical Test Information & Results

This section presents the core decision framework side by side:

Value	What It Means
Critical t Value	The minimum t-statistic threshold that must be exceeded for the program to be declared statistically significant. Derived from your selected confidence level, degrees of freedom, and hypothesis direction.
Program t Statistic	The t-statistic calculated from your actual data. This is the “score” your program achieved on the statistical test.

DECISION RULE	*If the Program t Statistic exceeds the Critical t Value, the null hypothesis is rejected and the program is declared a success at your chosen confidence level.*

Section C — Overall Program Outcome

This section translates the statistical result into plain language:

- The Outcome Verdict states clearly whether the program made a statistically significant increase, decrease, or maintained its value — or whether it failed to meet that bar.
- The Accept/Reject statement confirms whether the Research Hypothesis is accepted or the Null Hypothesis is retained.
- The Average Change shows the mean difference (post minus pre) per participant.
- The Needed Change shows the minimum average change required for the program to pass the statistical test.
- The Beat/Fell Short value shows by how much the program exceeded or fell short of that minimum threshold.

Section D — Detailed Statistical Summary

A reference table providing all underlying statistics for documentation, auditing, or further analysis:

Statistic	Description
n	Sample size — the number of matched pairs analyzed.
$\bar{d}$ (dbar)	Mean difference — the average of all post-minus-pre change values.
sd	Standard deviation of the differences — how spread out the individual changes were.
se	Standard error (sd ÷ √n) — the precision of the mean difference estimate.
df	Degrees of freedom (n − 1) — used to determine the exact t-distribution shape.
c	Confidence level selected by the user.
α (alpha)	Significance level (1 − confidence) — the maximum acceptable false positive rate.

Section E — Population Distribution Chart

A bell curve chart visualizes the distribution of changes across the population, plotted against the mean difference and standard deviation of the dataset. The chart provides an intuitive view of how the program’s results are distributed and where the critical threshold falls relative to the observed data. A narrow, tall curve indicates consistent results across participants; a wide, flat curve indicates high variability.

6. Statistical Methodology

The Matched Pairs t-Test

This tool uses a matched pairs (dependent samples) t-test, the industry-standard approach when the same individual or unit is measured twice — once before and once after an intervention. Rather than comparing two independent groups, the test analyzes the distribution of the individual differences (post minus pre) across all participants. The mean of those differences forms the basis of the evaluation.

Why the t-Test — Not the z-Test?

It is a common misconception that large sample sizes require switching from a t-test to a z-test. In practice, the two are not interchangeable competitors; they are related distributions. As sample size increases, the t-distribution converges mathematically toward the z-distribution, eventually becoming indistinguishable from it. Because of this relationship:

- The t-test produces valid and accurate results at any sample size — from as few as 25 to as many as 250,000 observations.
- The z-test, by contrast, requires the population standard deviation to be known in advance — a condition rarely met in real-world program evaluations.
- All major statistical software packages (SPSS, R, SAS, Python's scipy) default to the t-test for pre/post analysis regardless of sample size.

This tool follows that same industry convention. Users can proceed with confidence that the t-test applied here is appropriate for their study, regardless of whether they have 25 participants or 250,000.

One-Tailed vs. Two-Tailed Tests

The direction of the hypothesis determines which critical value is used to judge success or failure:

Objective	Test Type & Rationale
Increase	One-tailed test. The hypothesis is directional — only an upward shift constitutes success. Using a one-tailed critical value gives the test full statistical power in that direction.
Decrease	One-tailed test. The hypothesis is directional — only a downward shift constitutes success. Same reasoning as Increase, applied to the opposite direction.
Maintain	Two-tailed test. The hypothesis is non-directional — a significant shift in either direction would represent failure. A two-tailed critical value guards against movement in both directions simultaneously.

NOTE *Using a one-tailed test for Increase/Decrease objectives is not only statistically correct, it is also more honest: it concentrates the allowable error rate in the direction the program is intended to move, rather than splitting it unnecessarily across both directions.*

Choosing the Right Confidence Level

Why 95% (0.95) Is the Standard Starting Point

A 95% confidence level means the tool accepts no more than a 5% chance of declaring a program successful when it actually had no true effect (a Type I error, or false positive). This threshold has been the de facto standard in applied research and academic publishing for nearly a century, rooted in the work of statistician Ronald Fisher, who argued that a 1-in-20 false positive risk represents a reasonable balance between rigor and practicality.

For most program evaluations, audits, business decisions, and applied studies, 95% is entirely appropriate. It is the level used by default in most statistical software, referenced in most published research, and expected by most institutional reviewers. If you are unsure which level to choose, start here.

When to Use Higher Confidence Levels (0.99, 0.999)

Higher confidence levels reduce the risk of a false positive further, but they raise the bar for what counts as a statistically significant result — meaning a program must produce a larger, more consistent effect to be declared successful. They are appropriate when:

- The consequences of a false positive are severe. In clinical trials, public health interventions, or safety-critical process changes, incorrectly declaring success could lead to harm. A 99% or higher confidence level provides a stronger safeguard.
- The study is exploratory or a model test. When running a pilot program or validating a model before a larger rollout, using 99% confidence ensures that only genuinely robust effects advance to the next stage. This prevents organizations from investing heavily in programs that only marginally cleared the 95% bar.
- Regulatory or institutional requirements demand it. Some funding bodies, regulatory agencies, and peer-reviewed journals in high-stakes fields specify minimum confidence thresholds above 95%.
- Multiple comparisons are being made. When testing several outcomes simultaneously, the cumulative probability of at least one false positive increases. Using a higher confidence level per test is one way to control for this.

When Lower Confidence Levels May Be Acceptable

In some exploratory, early-stage, or low-stakes contexts, a 90% confidence level (alpha = 0.10) may be acceptable — for example, when generating hypotheses for future testing rather than drawing firm conclusions. However, this tool's minimum offering starts at 95%, which reflects the appropriate floor for any result intended to inform a real decision or be shared with an external audience.

Confidence Level	Alpha (α)	Typical Use Case
95% (0.95)	0.05	Standard applied research, business evaluations, program audits, most academic work.
99% (0.99)	0.01	High-stakes decisions, clinical/health settings, model validation, regulatory submissions.
99.9% (0.999)	0.001	Safety-critical systems, pharmaceutical trials, policy interventions with broad population impact.

GUIDANCE

When in doubt, run the analysis at 95% first to understand your result, then re-run at 99% to test robustness. If the program passes at 99%, the finding is strong. If it only passes at 95%, the effect is real but modest — a meaningful distinction for decision-making.

——— DEVELOPER'S NOTE ———

This tool was built by humans who believe, with 99.9% confidence (α = 0.001), that dogs are the single greatest confounding variable in any attempt to have a bad day. Their p-values are always significant. Their null hypothesis (that they are not a good boy) is always rejected. Their effect size is enormous, and their standard error of affection approaches zero.

Why did the statistician drown in the lake? Because it had a mean of 3 feet and he assumed it was safe. (His dog, however, had already assessed the full distribution and stayed on shore.)

A correlation is not causation. But the correlation between dogs existing and the world being better is, frankly, suspicious.